

# TIMBERLANE

## SUPREMITY™

*Technical Specifications*



**1-800-250-2221 • [Timberlane.com](http://Timberlane.com)**

Timberlane Inc. • 150 Domorah Drive, Montgomeryville, PA 18936

# TIMBERLANE SUPREMITY™

*Super-Strong, Maintenance-Free Shutters*



Timberlane's Supremity™ Shutters are crafted from fiberglass synthetic materials, producing a super-resilient, maintenance-free shutter with crisp, smooth lines built to 1/8" precision.

Supremity™ Shutters can provide an elegant, substantive, and durable solution for humid or extreme climates and are available in 24 Premium Paint colors as well as any custom color of your choice. Complete your Supremity™ Shutters with Timberlane Hardware for added distinction.

## **SUPREMITY CUSTOMIZATION OPTIONS**

STYLES: Bermuda (Bahama)

CONFIGURATIONS: Singular

SIZES: Shutter Thickness: 1 5/16"


Width: 24" - 144"

Length: 24" - 144"

FINISHES: Premium Paint

HARDWARE: Bermuda (Bahama)

## TIMBERLANE'S 1 SUPREMITY™ SHUTTER STYLES



BERMUDA

## Bermuda Specifications

SPECIFICATION	VALUE
Materials	Fiberglass
Configurations	Built with mid stile or mid rail or both
Shutter Thickness	1 <sup>5</sup> / <sub>16</sub> "
Minimum Shutter Width	24"
Maximum Shutter Width	144"
Minimum Shutter Height	24"
Maximum Shutter Height	144"
Size Increments	1/8"
Stile Width	2 1/2"
Top Rail Width	2 1/2"
Mid Stile Width	2 1/2"
Mid Rail Width	2 1/2"
Bottom Rail Width	2 1/2"
Louver Type	Varies by style or custom
Louver Pitch	Varies by style or custom
Louver Spacing	Varies by style or custom
Louver Direction	Reverse
Louver Width	Varies by style or custom
Louver Thickness	3/8"
Custom Rail Placement	Available
Primer	Water-based, pigmented acrylic
Paint	Flexible, water-based acrylic with UV protection & reflective additives
Colors	24 Standard colors and custom color-matching
Finishes	Painted (satin)

## Panel Specifications

SPECIFICATION	VALUE
Style not available	

## Louver Specifications

SPECIFICATION	VALUE
Style not available	

## Board & Batten Specifications

SPECIFICATION	VALUE
Style not available	